

## Appendix 1

### Massachusetts General Hospital Lymphedema Research Program

#### Publications

- Bucci et al. Subclinical lymphedema after treatment for breast cancer: risk of progression and considerations for early intervention. *Ann Surg Oncol*. 2021;6-11. doi:10.1245/s10434-021-10173-0.
- Roberts, S. A., Gillespie, T. C., Shui, A. M., Brunelle, C. L., Daniell, K. M., Locascio, J. J., Naoum, G. E., & Taghian, A. G. (2021). Weight loss does not decrease risk of breast cancer–related arm lymphedema. *Cancer*. Published. <https://doi.org/10.1002/cncr.33819>
- Naoum GE, Roberts S, Brunelle CL, Shui AM, Salama L. original reports abstract Quantifying the Impact of Axillary Surgery and Nodal Irradiation on Breast Cancer – Related Lymphedema and Local Tumor Control : Long-Term Results From a Prospective Screening Trial. 2020;1-10. doi:10.1200/JCO.20.00459
- Brunelle CL, Roberts SA, Horick NK, et al. Integrating Symptoms Into the Diagnostic Criteria for Breast Cancer–Related Lymphedema: Applying Results From a Prospective Surveillance Program. *Phys Ther*. 2020;100(12):2186-2197. doi:10.1093/ptj/pzaa162
- Brunelle CL, Taghian AG. Lymphoedema screening: setting the standard. *Br J Cancer*. 2020;123(1). doi:10.1038/s41416-020-0848-0
- Brunelle CL, Roberts SA, Shui AM, et al. Patients who report cording after breast cancer surgery are at higher risk of lymphedema: Results from a large prospective screening cohort. *J Surg Oncol*. 2020;122(2):155-163. doi:10.1002/jso.25944
- Barrio A V, Brunelle C, Morrow M, Taghian AG. Letter to Editor re : Ridner et al .: “ A Randomized Trial Evaluating Bioimpedance Spectroscopy Versus Tape Measurement for the Prevention of Lymphedema Following Treatment for Breast Cancer : Interim Analysis .” *Ann Surg Oncol*.: 2019: 2-3. doi:10.1245/s10434-019-07763-4
- Daniell KM, Bardia A, Sun F, et al. Incidence of peripheral edema in patients receiving PI3K/mTOR/CDK4/6 inhibitors for metastatic breast cancer. *Breast Cancer Res Treat*. 2019;175(3):649-658. doi:10.1007/s10549-019-05206-y
- McDuff SGR, Mina AI, Brunelle CL, et al. Timing of Lymphedema After Treatment for Breast Cancer: When Are Patients Most At Risk? *Int J Radiat Oncol Biol Phys*. 2019;103(1):62-70. doi:10.1016/j.ijrobp.2018.08.036
- Sun F, Brunelle CL, Daniell KM, Gillespie TC, Sayegh HE, Taghian AG. Letter to the editor of “Current and future perspectives on the evaluation, prevention and conservative management of breast cancer related lymphoedema: A best practice guideline” from N. Gebruers and colleagues. *Eur J Obstet Gynecol Reprod Biol*. 2018;225:255-256. doi:10.1016/j.ejogrb.2018.03.023
- Sun F, Hall A, Tighe MP, et al. Perometry versus simulated circumferential tape measurement for the detection of breast cancer-related lymphedema. *Breast Cancer Res Treat*. 2018;172(1):83-91. doi:10.1007/s10549-018-4902-z

- Asdourian MS, Swaroop MN, Sayegh HE, et al. Association between precautionary behaviors and breast cancer-related lymphedema in patients undergoing bilateral surgery. *J Clin Oncol*. 2017.
- Brunelle C, Swaroop M, Asdourian M, Skolny M, Sayegh H, Taghian AG. Precautionary Behaviors and Breast Cancer-Related Lymphedema. *Lymphat Res Biol*. 2017;15(3):292-294. doi:10.1089/lrb.2017.0016
- Ferguson CM, Swaroop MN, Horick N, et al. Impact of ipsilateral blood draws, injections, blood pressure measurements, and air travel on the risk of lymphedema for patients treated for breast cancer. *J Clin Oncol*. 2016;34(7):691-698. doi:10.1200/JCO.2015.61.5948
- Asdourian MS, Skolny MN, Brunelle C, Seward CE, Salama L, Taghian AG. Precautions for breast cancer-related lymphoedema: Risk from air travel, ipsilateral arm blood pressure measurements, skin puncture, extreme temperatures, and cellulitis. *Lancet Oncol*. 2016;17(9):e392-e405. doi:10.1016/S1470-2045(16)30204-2
- Miller CL, Colwell AS, Horick N, et al. Immediate implant reconstruction is associated with a reduced risk of lymphedema compared to mastectomy alone: A prospective cohort study. *Ann Surg*. 2016;263(2):399-405. doi:10.1097/SLA.0000000000001128
- Sun F, Skolny MN, Swaroop MN, et al. The need for preoperative baseline arm measurement to accurately quantify breast cancer-related lymphedema. *Breast Cancer Res Treat*. 2016;157(2):229-240. doi:10.1007/s10549-016-3821-0
- Brunelle C, Skolny M, Ferguson C, Swaroop M, O'Toole J, Taghian AG. Establishing and sustaining a prospective screening program for breast cancer-related lymphedema at the Massachusetts General Hospital: Lessons Learned. *J Pers Med*. 2015;5(2):153-164.
- Chandra RA, Miller CL, Skolny MN, et al. Radiation therapy risk factors for development of lymphedema in patients treated with regional lymph node irradiation for breast cancer. *Int J Radiat Oncol Biol Phys*. 2015;91(4):760-764. doi:10.1016/j.ijrobp.2014.12.029
- O'Toole J, Hannon K, Skolny MN, et al. The Role of Sonographic Imaging to Assess the Pathophysiology of Cording in Patients Treated for Breast Cancer: A Pilot Study. *J Diagnostic Med Sonogr*. 2015;31(5):276-281. 2015\_OToole\_Cording.pdf.
- O'Toole JA, Ferguson CM, Swaroop MN, et al. The impact of breast cancer-related lymphedema on the ability to perform upper extremity activities of daily living. *Breast Cancer Res Treat*. 2015;150(2):381-388. doi:10.1007/s10549-015-3325-3
- Swaroop MN, Chantal •, Ferguson M, et al. Impact of adjuvant taxane-based chemotherapy on development of breast cancer-related lymphedema: results from a large prospective cohort. *Breast Cancer Res Treat*. 151. 2015: doi:10.1007/s10549-015-3408-1
- Warren LEG, Miller CL, Horick N, et al. The impact of radiation therapy on the risk of lymphedema after treatment for breast cancer: A prospective cohort study. *Int J Radiat Oncol Biol Phys*. 2014;88(3):565-571. doi:10.1016/j.ijrobp.2013.11.232
- Jammallo LS, Miller CL, Horick NK, et al. Factors associated with fear of lymphedema after treatment for breast cancer. *Oncol Nurs Forum*. 2014;41(5):473-483.
- Miller CL, Specht MC, Skolny MN, et al. Risk of lymphedema after mastectomy: Potential benefit of applying ACOSOG Z0011 protocol to mastectomy patients. *Breast Cancer Res Treat*. 2014;144(1):71-77. doi:10.1007/s10549-014-2856-3
- Specht MC, Miller CL, Russell TA, et al. Defining a threshold for intervention in breast cancer-related lymphedema: What level of arm volume increase predicts progression? *Breast Cancer Res Treat*. 2013:1-10.

- Specht MC, Miller CL, Skolny MN, et al. Residual lymph node disease after neoadjuvant chemotherapy predicts an increased risk of lymphedema in node-positive breast cancer patients. *Ann Surg Oncol*. 2013;20(9):2835-2841. doi:10.1245/s10434-012-2828-y
- Miller CL, Specht MC, Horick N, et al. A novel, validated method to quantify breast cancer-related lymphedema (BCRL) following bilateral breast surgery. *Lymphology*. 2013;46(2):64-74.
- O'Toole J, Jammallo LS, Miller CL, Skolny MN, Specht MC, Taghian AG. Screening for Breast Cancer-Related Lymphedema: The Need for Standardization. *Oncologist*. 2013;18(4):350-352. doi:10.1634/theoncologist.2012-0387
- O'Toole J, Miller CL, Specht MC, et al. Cording following treatment for breast cancer. *Breast Cancer Res Treat*. 2013;140(1):105-111. doi:10.1007/s10549-013-2616-9
- Jammallo LS, Miller CL, Singer M, et al. Impact of body mass index and weight fluctuation on lymphedema risk in patients treated for breast cancer. *Breast Cancer Res Treat*. 2013;142(1):59-67. doi:10.1007/s10549-013-2715-7
- Ancukiewicz M, Miller CL, Skolny MN, et al. Comparison of relative versus absolute arm size change as criteria for quantifying breast cancer-related lymphedema: The flaws in current studies and need for universal methodology. *Breast Cancer Res Treat*. 2012;135(1):145-152. doi:10.1007/s10549-012-2111-8
- Miller CL, Specht MC, Skolny MN, et al. Sentinel lymph node biopsy at the time of mastectomy does not increase the risk of lymphedema: Implications for prophylactic surgery. *Breast Cancer Res Treat*. 2012;135(3):781-789. doi:10.1007/s10549-012-2231-1
- Ancukiewicz M, Russell TA, Otoole J, et al. Standardized method for quantification of developing lymphedema in patients treated for breast cancer. *Int J Radiat Oncol Biol Phys*. 2011;79(5):1436-1443. doi:10.1016/j.ijrobp.2010.01.001
- Skolny MN, Miller CL, O'Toole J, Taghian AG. Breast cancer-related lymphedema: Modern methodology of assessment and management. *Breast Dis*. 2011;22(2):111-115. doi:10.1016/j.breastdis.2011.03.065
- O'Toole JA, Russell TA, Singer M, Skolny M, Dotter E, Specht M, Isakoff S, Smith B TA, O'Toole J, Russell T, et al. A General Hospital's Multi-Disciplinary Approach to BCRL. *J Lymphedema*. 2010;5(1):81-85.

## Reviews

- Nassif, T., Brunelle, C.L., Gillespie, T.C., Bernstein, M.C., Bucci, L.K., Naoum, G., & Taghian, A. (2020). Breast Cancer-Related Lymphedema: a Review of Risk Factors, Radiation
- McLaughlin SA, Brunelle CL, Taghian A. Breast Cancer-Related Lymphedema: Risk Factors, Screening, Management, and the Impact of Locoregional Treatment. *J Clin Oncol*. 2020;38(20):2341-2350. doi:10.1200/JCO.19.02896
- Havens et al. Use of technology to facilitate a prospective surveillance program for breast cancer-related lymphedema at the Massachusetts General Hospital. *mHealth* 2020.
- Gillespie TC, Sayegh HE, Brunelle CL, Daniell KM, Taghian AG. Breast cancer-related lymphedema: risk factors, precautionary measures, and treatments. *Gland Surg*. 2018;7(4):379-403. doi:10.21037/g.2017.11.04

- Sayegh HE, Asdourian MS, Swaroop MN, et al. Diagnostic methods, risk factors, prevention, and management of breast cancer-related lymphedema: Past, present, and future directions. *Curr Breast Cancer Rep.* 2017;9(2):111-121.
- Asdourian, Maria S., Skolny, Melissa N., Brunelle CL, Seward CE, Salama L TA. Reply to J. Nudelman. *J Clin Oncol.* 2016.
- Seward C, Skolny M, Brunelle C, Asdourian M, Salama L, Taghian AG. A comprehensive review of bioimpedance spectroscopy as a diagnostic tool for the detection and measurement of breast cancer-related lymphedema. *J Surg Oncol.* 2016;114(5):537-542. doi:10.1002/jso.24365
- Taghian NR, Miller CL, Jammallo LS, O'Toole J, Skolny MN. Lymphedema following breast cancer treatment and impact on quality of life: A review. *Crit Rev Oncol Hematol.* 2014;92(3):227-234.
- O'Toole J, Jammallo LS, Skolny MN, Miller CL, Elliott K, Specht MC, Taghian AG. *Lymphedema following treatment for breast cancer: a new approach to an old problem.* Crit Rev Oncol Hematol 2013 Nov;88(2):437-46.
- Therapy Contribution, and Management Strategies. *Current Breast Cancer Reports,* 12, 305 - 316.

#### Editorials

- Brunelle CL, et. al. On "Diagnosis of Upper Quadrant Lymphedema Secondary to Cancer: Clinical Practice Guideline from the Oncology Section of the American Physical Therapy Association." 2017:729-745.
- Swaroop MN, Brunelle CL, Asdourian MS, et al. In response to: Letter to the Editor by Kilbreath et al. *J Surg Oncol.* 2017;115(2):223-225. doi:10.1002/jso.24496

#### Original Manuscripts

- Brunelle CL, Taghian AG. Lymphoedema screening: setting the standard. *Br J Cancer.* 2020;123(1). doi:10.1038/s41416-020-0848-0
- Brunelle CL, Swaroop MN, Skolny MN, Asdourian MS, Sayegh HE, Taghian AG. Original Research Article Original Research Article. *Am Phys Ther Assoc.* 2018;7(30):3409-3411. doi:10.14260/jemds/2018/769